

California Regional Water Quality Control Board
Santa Ana Region

ORDER NO. 00-97

Rescission of Waste Discharge Requirements
for
Specific Facilities

The California Regional Water Quality Control Board, Santa Ana Region (hereinafter Board), finds that:

1. The orders listed in Attachment "A" were issued by the Board at various times for the facilities described therein. Attachment "A" is hereby made a part of this order.
2. Waste discharge requirements for the facilities listed in Attachment "A" are no longer necessary because the facilities are no longer in operation, discharges from the facilities have been eliminated, the discharges from the facilities have no significant impact on the quality of waters in the area, or because the discharges are regulated under other waste discharge requirements.
3. This action is based on the cessation of discharges of waste, which poses no significant adverse impact on the environment, or on the finding that specific discharges have no significant environmental impacts. As such, this action is exempt from the requirements of the California Environmental Quality Act in accordance with Section 15061 (b) (3), Chapter 3, Title 14 of the California Code of Regulations.
4. The Board has notified the dischargers and interested agencies and persons of its intent to rescind the orders for the facilities listed in Attachment "A", and has provided them with an opportunity to submit written comments and recommendations.
5. The Board, in a public meeting, heard and considered all comments pertaining to the rescission of waste discharge requirements.

IT IS HEREBY ORDERED that the orders listed in Attachment "A" be rescinded.

I, Gerard J. Thibeault, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on November 17, 2000.

Gerard J. Thibeault
Executive Officer

California Regional Water Quality Control Board
Santa Ana Region

November 17, 2000

ITEM:

SUBJECT: Rescission of Waste Discharge Requirements for Specific Facilities, Order No. 00-97

DISCUSSION:

Waste discharge requirements for the facilities listed in Attachment "A" of Order No. 00-97 are no longer necessary because the facilities are no longer in operation, discharges from the facilities have been eliminated, the discharges from the facilities have no significant impact on the quality of waters in the area, or because the discharges are regulated under other waste discharge requirements.

RECOMMENDATION:

Adopt Order No. 00-97, as presented.

In addition to the dischargers listed in Attachment "A", comments were solicited from the following agencies:

State Water Resources Control Board, Office of the Chief Counsel, Ted Cobb
State Water Resources Control Board - John Youngerman
State Department of Water Resources - Glendale
State Department of Health Services - San Bernardino, Kalyanpur Baliga
State Department of Health Services - San Diego, Toby Roy
San Bernardino County Department of Environmental Health Services- Pam Bennett
San Bernardino County Department of Public Works - Ken Guidry
Riverside County Department of Health
Riverside County Flood Control and Water Conservation District
Orange County Public Facilities & Resources Department
Orange County Water District - Nira Yamachika

ORDER NO. 00-97

Attachment "A"

SAN BERNARDINO COUNTY

	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
1.	82-24	Ameron Steel Fontana	Insignificant threat to water quality
2.	86-56	Ralph Patrida Fertilizer Chino	Facility no longer in business

RIVERSIDE COUNTY

	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
3.	89-126	California Department of Fish & Game	Reclamation requirements included in Order No. 88-94 (issued to Eastern Municipal Water District)

ORANGE COUNTY

	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
4.	95-3	University of California Irvine	Discharge has been eliminated